



This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.



REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	15-0032	-1 SLOT LOCATION WAS ON WRONG SIDE, MOVED TO OPPOSITE SIDE (FLAT SIDE). CH'D ENGRAVE NOTE WAS ENGRAVE T/N, P/N, MADE IN USA IS ENGRAVE T/N, S/N, MADE IN USA, ADDED ENGRAVE "-103" NOTE. CH'D FINISH WAS CLEAR ANODIZE ZINC PRIMER PAINT YELLOW IS RED ANODIZE. -3 CH'D ENGRAVE NOTE WAS ENGRAVE P/N IS ENGRAVE "RB T103286-101. ADDED ENGRAVE "-105". CH'D FINISH WAS CLEAR ANODIZE ZINC PRIMER PAINT YELLOW IS RED ANODIZE. -5 CH'D ENGRAVE NOTE WAS ENGRAVE P/N IS ENGRAVE "RB T103286-113. CH'D FINISH WAS CLEAR ANODIZE ZINC PRIMER PAINT YELLOW IS RED ANODIZE. -7 CH'D ENGRAVE NOTE WAS ENGRAVE P/N IS ENGRAVE "RB T103286-115. CH'D FINISH WAS CLEAR ANODIZE ZINC PRIMER PAINT YELLOW IS RED ANODIZE. -9 CH'D FINISH WAS CLEAR ANODIZE ZINC PRIMER PAINT YELLOW IS RED ANODIZE. -31 DELETED FROM BOM.	2/4/2015	RJC	JAG

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	BASE	6061		2
			-3	1	BRACKET	6061		3
			-5	1	SLIDE	6061		4
			-7	1	PLATE	6061		5
			-9	2	TUBE	6061		6
			-11	1	KNOB	STEEL	5/16-18 (MCMaster-CARR #6079K17) MODIFIED	7
		B/O	-13	4	SCREW	STEEL	10-32 X 23/32 (AIRCRAFT SPRUCE #MS27039-1-11)	1
		B/O	-15	4	WASHER	STEEL	# 10 (AIRCRAFT SPRUCE #MS35333-39)	1
		B/O	-17	1	WING NUT	STEEL	5/16-24 (MCMaster-CARR #90866A130)	1
		B/O	-19	2	WASHER	ALUMINUM	5/16 (AIRCRAFT SPRUCE #AN960PD-516)	1
		B/O	-21	1	BOLT	STEEL	5/16-24 (AIRCRAFT SPRUCE #NAS6605-10)	1
		B/O	-23	2	WASHER	S.S.	7/8 OD (MCMaster-CARR #93574A865)	1
		B/O	-25	2	COTTER PIN	STEEL	Ø1/16 X 1 (MCMaster-CARR #98338A110)	1
		B/O	-27	1	THREAD INSERT	S.S.	5/16-18 X 5/16 (MCMaster-CARR #91732A372)	5
		B/O	-29	4	THREAD INSERT	S.S.	10-32 X .285 (MCMaster-CARR #91732A231)	1, 4

NOTE:  
REF. BELL T/N: T103286-101.

**DART**  
AEROSPACE

CENTERING TOOL




DWG NO. RB T103286-101

REV  
1

MAT'L	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	BELL 412
SCALE 1:6	DATE 7/26/2011
	SHEET 1 OF 7

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	15-0032	1. SLOT LOCATION WAS ON WRONG SIDE, MOVED TO OPPOSITE SIDE (FLAT SIDE). CH'D ENGRAVE NOTE WAS ENGRAVE T/N, P/N, MADE IN USA IS ENGRAVE T/N, S/N, MADE IN USA, ADDED ENGRAVE "-103" NOTE. CH'D FINISH WAS CLEAR ANODIZE ZINC PRIMER PAINT YELLOW IS RED ANODIZE.	2/4/2015	RJC	JAG



SECTION A-A





(1)

BASE

<b>DART</b> AEROSPACE	
TITLE	
DWG NO.	RB T103286-101-1
MAT'L 6061	REV 1
DRAWN BY: GILBERT	
APPROVED: <i>D Weil</i>	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005	FRACTIONS ± 1/8
.XX ± .01	ANGLES ± 5°
.X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SPEC MIL-A-8625F, TYPE II, CLASS II	
USED ON MODEL	
BELL 412	
SCALE 1:6	DATE 7/26/2011
SHEET 2 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	15-0032	-3 CH'D ENGRAVE NOTE WAS ENGRAVE P/N IS ENGRAVE "RB T103286-101. ADDED ENGRAVE "-105". CH'D FINISH WAS CLEAR ANODIZE ZINC PRIMER PAINT YELLOW IS RED ANODIZE.	2/4/2015	RJC	JAG







(3)  
BRACKET

<b>DART</b> AEROSPACE	
TITLE CENTERING TOOL	
DWG NO. RB T103286-101-3	REV 1
MAT'L 6061	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX $\pm$ .005	HEAT TREAT
.XX $\pm$ .01	FINISH
.X $\pm$ .1	RED ANODIZE
ANGLES $\pm$ .5°	SPEC MIL-A-8625F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	BELL 412
SCALE 1:3	DATE 7/26/2011
SHEET 3 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	15-0032	-5 CH'D ENGRAVE NOTE WAS ENGRAVE P/N IS ENGRAVE "RB T103286-113. CH'D NOTE 2 FINISH WAS CLEAR ANODIZE ZINC PRIMER PAINT YELLOW IS RED ANODIZE.	2/4/2015	RJC	JAG



NOTE:  
1. INSTALL 4 -29(THREAD INSERT).




(-5)

SLIDE

<b>DART AEROSPACE</b>	
TITLE	
DWG NO.	RB T103286-101-5
MAT'L 6061	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY: GILBERT
.XXX ± .005	APPROVED <i>D Weil</i>
.XX ± .01	HEAT TREAT
.X ± .1	FINISH RED ANODIZE
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC MIL-A-8625F, TYPE II, CLASS II
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
	BELL 412
SCALE 1:3	DATE 7/26/2011
	SHEET 4 OF 7

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	15-0032	-7 CH'D ENGRAVE NOTE WAS ENGRAVE P/N IS ENGRAVE "RB T103286-115. CH'D FINISH WAS CLEAR ANODIZE ZINC PRIMER PAINT YELLOW IS RED ANODIZE.	2/4/2015	RJC	JAG






(-7)  
PLATE

NOTE:  
1. INSTALL 1 -27 (THREAD INSERT).

<b>DART</b> AEROSPACE	
TITLE	
DWG NO.	RB T103286-101-7
MAT'L 6061	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX $\pm$ .005	HEAT TREAT
.XX $\pm$ .01	FINISH RED ANODIZE
.X $\pm$ .1	SPEC MIL-A-8625F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	BELL 412
SCALE 1:2	DATE 7/26/2011
SHEET 5 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	15-0032	-9 CH'D FINISH WAS CLEAR ANODIZE ZINC PRIMER PAINT YELLOW IS RED ANODIZE.	2/4/2015	RJC	JAG



(-9)




TUBE

<b>DART</b> AEROSPACE	
TITLE	
DWG NO.	RB T103286-101-9
MAT'L 6061	REV 1
DRAWN BY: GILBERT	
APPROVED <i>D Weil</i>	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005 FRACTIONS ± 1/8	
.XX ± .01 ANGLES ± 5°	
.X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SPEC MIL-A-8625F, TYPE II, CLASS II	
USED ON MODEL	
BELL 412	
SCALE 1:1	DATE 7/27/2011
SHEET 6 OF 7	



This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE
			INITIAL
			APPROVED



(-11)  
KNOB

<b>DART</b> AEROSPACE	
TITLE CENTERING TOOL	
DWG NO. RB T103286-101-11	REV ?
MAT'L STEEL	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT
.XX ± .01	TREAT
.X ± .1	FINISH
ANGLES ± 5°	BLACK OXIDE
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
	BELL 412
SCALE 1:1	DATE 7/26/2011
	SHEET 7 OF 7